




*Complete range of
Automotive Lubricants, Grease & AdBlue®*



Nandan Petrochem Limited

VELVEX AUTOMOTIVE LUBRICANTS

DIESEL ENGINE OILS

VELVEX GT CI-4 Plus 15W-40

API CI-4+ / SL



Velvex GT CI-4 Plus 15W-40 is formulated with Succinimol Technology. Suitable for use in both naturally aspirated and turbo charged diesel engines. Recommended as extended drain service engine oil for modern, low emission diesel engine meeting BS IV/ EURO IV emission norms. It is formulated to sustain engine oil durability where Exhaust Gas Recirculation (EGR) is used.

Recommended for Diesel Engine vehicles of Ashok Leyland, Tata Motors, Swaraj, Mahindra, Eicher, MAN Volvo, Bharat Benz.

Available in: 210 L, 55 L, 15 L, 10 L, 7.5 L, 1L

VELVEX Super GT Turbo 15W-40

API CF-4 / SG



A modern, multi-grade engine oil of the new generation for round the year use. It is specially developed for Turbo Charged and Naturally Aspirated diesel engines operating under severe service conditions. Designed for Engines meeting Bharat I / Euro I emission norms. Velvex Super GT Turbo 15W-40 extends engine life and prevents carbon built-up in engines thereby reducing maintenance cost.

Recommended for Diesel Engine Vehicle of Ashok Leyland, Tata Motors, Swaraj, Mahindra, Eicher, Swaraj Motors, MAN, Volvo, Bharat Benz

Available in: 210 L, 55 L, 15 L, 13 L, 10 L, 7 L, 7.5 L, 5 L, 1 L, 500 ML

VELVEX Super Power 20W-40

API CF-4 / SG



Multigrade Diesel Engine oil for use in new generation Diesel Engines meeting BS I / EURO I emission norms. Suitable for use in both naturally aspirated and Turbo Charged Diesel Engines operating under severe service conditions. It is formulated with latest additive technology that guarantees to extend engine life, prevents carbon built-up, reduces oil consumption and operating cost.

Recommended for Diesel engine Vehicles of Ashok Leyland, Tata Motors, Swaraj, Mahindra, Eicher MAN, Volvo, Bharat Benz.

Available in: 210 L, 55 L, 20 L, 10 L, 7.5 L, 5 L, 1 L

VELVEX Multi Grade 20W-40

API CF / SF



All Season Multi Grade Diesel Engine oil suitable for use in both naturally aspirated and Turbo Charged Diesel Engines operating under severe service conditions. It is also suitable for LCVs, Trucks, and buses powered with pre India 2000 engines. Formulated using combination of conventional base oils with latest additive technology which guarantees high shear resistant engine oil that is sure to prevent deposit built-up, lowers friction and provide optimal wear protection.

Recommended as all purpose engine oil in Trucks, Buses, Tractors, & Construction Equipments

Available in: 210 L, 55 L, 20 L, 10 L, 7.5 L, 6 L, 5 L, 1 L, 500 ML

VELVEX Turbo Xtramile 15W-40

API CH-4



Multi-grade Diesel Engine Oil Suitable for use in both naturally aspirated and Turbocharged Diesel Engines operating under severe service conditions. Extended drain oil for Diesel Engines meeting BS II and BS III Emission norms.

Recommended for Ashok Leyland, Tata Motors, Mahindra, Eicher, Swaraj Motors, MAN, Volvo, Bharat Benz Diesel Engine vehicles.

Available in: 7 L & 3 L

AGRI OILS

VELVEX Tractor Prima 15W-40

API CF-4 / SG



Multigrade Diesel Engine Oil for use in Tractors and other Farm Equipments. Suitable for use in both naturally aspirated and Turbo Charged Diesel Engines operating under severe service conditions. Formulated to extend engine life and prevent carbon built-up in engines thereby reducing maintenance cost.

Recommended for Tractors, and Farm Equipments of Mahindra, Escorts, TAFE, Swaraj, Sonalika, HMT.

Available in: 10 L, 8.5 L, 7.5 L, 6 L, 1 L

VELVEX UTTO

API GL-4



Velvex Universal Tractor Transmission Oil is recommended for use in most modern industrial and tractor transmission, final drives and hydraulic systems including wet brake and power take off. It can also be used in transmission functions of off-highway equipments, construction & quarrying equipments that require API GL-4 oil except hypoid gear design.

Recommended for Tractors and Farm Equipments of Mahindra, Escorts, TAFE, Swaraj, Sonalika, HMT & Off-road Construction and Mining equipments

Available in: 210 L, 20 L, 10 L, 5 L, 1 L

VELVEX PSO 20W-40



Velvex Pumpset Oil is suitable for naturally aspirated Diesel and Petrol engines operating under moderate service conditions. Recommended for use in agricultural diesel pumps, light duty genset, thresher and crushers. Manufactured from highly refined base oils with special anti-rust and anti-corrosion additives to provide corrosion protection to engine even during idle period.

Recommended for Pump Sets manufactured by Kirloskar, Usha, Comet, Field Marshal, Prakash Pumps, HTC.

Available in: 210 L, 5 L, 3.5 L, 1.2 L, 1 L

VELVEX Tractor Gold 20W-40

API CF-4 / SG



Multigrade Diesel Engine Oil for use in Tractors and other Farm Equipments. Suitable for use in both naturally aspirated and Turbo Charged Diesel Engines operating under severe service conditions. Formulated to extend engine life and prevent carbon built-up in engines thereby reducing maintenance cost.

Recommended for Tractors, and Farm Equipments of Mahindra, Escorts, TAFE, Swaraj, Sonalika, HMT.

Available in 10 L, 8.5 L, 7.5 L, 6 L, 1 L

VELVEX Tractor Prima XL 15W-40

API CH-4



Multi-Grade Diesel Engine Oil Suitable for use in both naturally aspirated and Turbocharged Diesel Engines operating under severe service conditions. Extended drain oil for Diesel Engines meeting BS II and BS III Emission norms.

Recommended for tractors and farm Equipments of Mahindra, John Deere, Escorts, Eicher, TAFE, Swaraj, Sonalika, HMT.

Available in 10 L, 8.5 L, 7.5 L, 6 L, 1 L

PASSENGER CAR MOTOR OILS

VELVEX CRUISE+ 15W-40

API CI-4+ / SL



Extended drain engine oil for modern, low emission Diesel Engines meeting BS IV / EURO IV emission norms for new generation models of Passenger Cars powered with latest technology Diesel Engines. Recommended for use with Diesel fuels ranging in sulphur content upto 0.5% by wt.

Recommended for passenger cars of Maruti Suzuki, Hyundai, Tata Motors, Mahindra, Toyota, General Motors, Skoda, Volkswagen.

Available in: 7 L, 5 L, 4 L, 3.5 L, 3 L, 1 L

VELVEX SynthPower 5W-30

API SN/CF



SynthPower 5W-30 is synthetic engine oil developed for new generation Passenger cars powered with Petrol as well as Diesel Engines where API SN/CF oil is recommended by OEMs. Specially blended from synthetic base oils and performance proven additives to exceed the specified performance level. It is an all season, environment friendly, multigrade engine oil.

Recommended for passenger cars of Maruti Suzuki, Hyundai, Skoda, Audi, VW, BMW, Mercedes etc.

Available in: 210 L, 3.5 L, 3 L, 1 L

VELVEX SynthPower 5W-40

API SN/CF



SynthPower 5W-40 is synthetic engine oil developed for new generation Passenger cars powered with Petrol as well as Diesel Engines where API SN/CF oil is recommended by OEMs. Specially blended from synthetic base oils and performance proven additives to exceed the specified performance level. It is an all season, environment friendly, multigrade engine oil.

Recommended for passenger cars of Maruti Suzuki, Hyundai, Skoda, Audi, VW, BMW, Mercedes etc.

Available in: 210 L, 4 L, 1 L

VELVEX SynthPower 20W-50

API SM/CF



Synthetic Engine Oil for use in Petrol & Diesel Engines of new generation passenger cars. Suitable for use in naturally aspirated and turbo charged engines operating under severe conditions. It is miscible with all synthetic and mineral based engine oils.

Recommended for passenger cars of Maruti Suzuki, Hyundai, Tata Motors, Mahindra, Toyota, General Motors, Skoda, Volkswagen.

Available in: 210 L, 3.5 L, 3 L, 1 L, 500 ML

VELVEX PetroPower 20W-50

API SL



PetroPower 20W-50 is the latest technology passenger car motor oil type engine oil developed for old and new generation cars powered by petrol engines.

Recommended for use in new and old cars, sport utility vehicles, vans, light trucks, CNG & LPG

Available in: 3 L, 1 L

VELVEX AUTOMOTIVE LUBRICANTS

2 WHEELER OILS



VELVEX Zoom Premium 4T 20W-40 (Synth)

API SM, JASO MA2

Zoom Premium 4T 20W-40 (SYNTH) is a 3 in 1 one ECG Motorcycle & Scooter Engine oil manufactured for all type of new generation air cooled Engines. It is Recommended for 10000 Kms. under ideal conditions. It also provides Excellent wear and oxidation protection & meets Valve Train wear requirements of API SM. Zoom Premium 4T 20W-40 (SYNTH) exceeds the most stringent performances requirements of JASO MA2. Recommended for scooters and Bikes of Hero, Honda, Bajaj, TVS, Yamaha, Mahindra etc.

Available in: 210 L, 55 L, 1 L, 900 ML



VELVEX Zoom 4T 10W-30

API SL, JASO MA2

Velvex Zoom 4T 10W-30 is a new generation, maximum performance low-viscosity oil, which can be used round the year for 4 Stroke engines of 2 wheelers using petrol as fuel. A specially developed additive technology it act as universal 3-in-1 oil for Engines, Clutch and Gear of Motorcycles. It is formulated to meet performance requirements of OEMs. Recommended for Scooters and Bikes of Hero, Honda, Bajaj, TVS, Yamaha, Mahindra etc.

Available in: 210 L, 1 L, 900 ML



VELVEX Zoom 4T 20W-40

API SL, JASO MA2

Velvex Zoom 4T 20W-40 is universal oil for Engine, Clutch and Gear of Motorcycles. It is formulated to meet the performance requirements of OEMs. This is all season engine oil is specially developed to meet frictional requirements of latest high performance air-cooled 4 Stroke motorcycles. Recommended for Scooters and Bikes of Hero, Honda, Bajaj, TVS, Yamaha, Mahindra etc.

Available in: 210 L, 55 L, 1 L, 900 ML



Velvex Scooter Oil 10W-30

API SL, JASO MB

Velvex Scooter Oil 10W-30 AP SL JASO MB is a superior Quality Genuine Engine Oil developed to meet the 4-stroke scooter AT engine requirements. It provides optimum performance of the engine even at extreme conditions. Provides better lubricity – Reduces wear and keeps the engine strong. Its unique detergency gives better cleaning, prolongs engine life. This oil helps to increase the fuel economy also. Recommended for all AT scooters manufactured by various OEM's.

Available in: 800ml



Zoom Premium 4T 15W-50

API SM, JASO MA2

Velvex Zoom Premium 4T SAE 15W50 is a three in one engine oil to protect Engine, Gear and Clutch and blended from selected base oils and additive chemistry to provide strong oil film for perfect protection and lubrication with reduced wear under a wide temperature range in air-cooled engines.

Available in: 2.5L

Velvex Zoom Premium 4T Synth 20W-50

API SM, JASO MA 2

API SM SAE 20W-50 JASO MA2 is a 4 stroke motorcycle engine oil recommended for all new generation 4 stroke motorcycles. It provides excellent performance in motorcycle engines that are designed with a common engine/transmission lubrication system. It is formulated to give outstanding protection in 4 stroke air cooled engines. Its unique viscosity index improver technology helps to provide a very shear stable condition even at extremely hot conditions. Recommended for all new generation 4 stroke motor bikes and scooters manufactured by various OEM's.



Available in: 2.5L



VELVEX Zoom Super 10W-30

API SN, JASO MA2

Premium Engine Oil specially formulated for new generation 4-Stroke motorcycle & scooter engines. This universal lubricant provides excellent protection of engine, clutch & gear system. Benefits: The life boosting additives in 10W-30 Ensures • Maximum Power output • Provides excellent control for Deposit • Excellent wear and oxidation protection at high temperature and severe operating condition • Lowers engine maintenance cost. • Smooth Drivability Recommended For Bikes of Hero, Honda, Bajaj, TVS, Yamaha, Mahindra.

Available in: 1 L, 900 ML



VELVEX Front Fork Oil

Velvex Front Fork Oil is a premium blend, specially formulated to provide superior performance in motorcycle front forks and shock absorbers. Suitable for both on-road and off-road usage. It provides excellent protection against oxidation, corrosion, foaming and wear.

Available in: 350 ML, 175 ML

3 WHEELER OILS

VELVEX CNG Supreme 20W-50

API SF/CD



A modern, multigrade engine oil developed for Auto Rickshaw and small delivery vans operating on Petrol & Diesel Fuels. Suitable for steady motoring and slow moving dense traffic conditions. Formulated to extend engine life and prevents carbon built-up in engines thereby reducing maintenance cost. Recommended for Auto Rickshaws & Delivery Vans of Bajaj Auto, TVS, Atul Auto, Piaggio, JS Auto, PAL Auto, Gauri Auto.

Available in: 3 L, 1 L, 500 ML

VELVEX Auto Supreme 15W-40

API CF-4 / SG



CNG engine oil developed for Auto Rickshaw and small delivery vans operating on CNG, Petrol & Diesel Fuels. Suitable for steady motoring and slow moving dense traffic conditions. Formulated to extend engine life and prevents carbon built-up in engines thereby reducing maintenance cost. Recommended for Auto Rickshaws & Delivery Vans of Bajaj Auto, TVS, Atul Auto, Piaggio, JS Auto, PAL Auto, Gauri Auto.

Available in: 3 L, 1 L

COOLANT



Super Kool-Concentrate

Velvex SuperKool is a 1:3 Concentrate based on Glycol OAT Technology. 1:3 reflects one portion of Coolant with 3 Similar Portions of Water. Provides trouble free protection in all weather conditions round the year.

Recommended to use Concentrate coolant in all types of radiators of vehicles

Available in: 3L, 1L & 500ml

GEAR AND TRANSMISSION OILS

VELVEX Trans-Gear EP 90

API GL-4



Extreme pressure hypoid gear oil designed to provide effective lubrication in wide range of automotive transmission and axle drives. Gear box oil of this type are recommended by motor vehicle and gear box manufacturers for use in synchromesh and non synchromesh manual gearboxes, power units for building machinery, agricultural machinery, tractors and axle drives exposed to normal stresses. Suitable in Passenger Cars, Vans, Light commercial vehicles, Buses, Tractors, Construction equipments.

Available in: 210 L, 26 L, 20 L, 10 L, 5 L, 1 L, 500 ML

VELVEX Trans-Gear EP 140

API GL-4



Velvex Trans Gear EP 140 is hypoid gear oil formulated to give good oxidation stability for long service life. This oil contains EP additives to withstand high temperature and pressure encountered during power transmission. It also contains pour point depressant to prevent the lubricant from channeling at low temperature. It is ideal for manual transmission, rear axle, automotive hypoid gear units and fluid lubricated universal joints. Suitable in Passenger Cars, Vans, Light commercial vehicles, Buses, Tractors, Construction equipments.

Available in: 210 L, 5 L, 1 L

VELVEX Trans-Gear EP 85W-140

API GL-5



High performance gear lubricant designed to provide excellent lubrication in wide range of automotive transmissions, axles and final drives where API GL-5 quality oil is specified. It offers effective protection against oxidation degradation and rust & corrosion. Excellent extreme pressure properties shields against wear under different operating conditions leading to enhanced equipment durability and lower maintenance costs. It also contains pour point depressant to prevent the lubricant from channeling at low temperature. Suitable in Passenger Cars, Vans, Commercial vehicles, Buses, Tractors, Construction equipments.

Available in: 210 L, 20 L, 5 L, 1 L

VELVEX Trans-Gear EP 80W-90

API GL-4



Extreme pressure hypoid gear oil designed to provide effective lubrication in wide range of automotive transmission and axle drives. Gear box oil of this type are recommended by motor vehicle and gear box manufacturers for use in synchromesh and non synchromesh manual gearboxes, power units for building machinery, agricultural machinery, tractors and axle drives exposed to normal stresses. Suitable in Passenger Cars, Vans, Light Commercial vehicles, Buses, Tractors, Construction equipments.

Available in: 210 Ltr, 20 Ltr, 5 Ltr, 2 Ltr, 1Ltr

VELVEX ATF

Type A



Velvex ATF is formulated to meet General motors ATF Type A Suffix A Specifications. Ideal for automatic transmission and power steering units manufactured by ZF, Rane etc. where TYPE A is specified. It is also recommended for manual transmission and hydraulic systems where such type of fluid is specified.

Recommended for Automatic Transmission & Power Steering units of Passenger Cars & Commercial Vehicles.

Available in: 210 L, 10 L, 5 L, 1 L, 500 ML

VELVEX GREASES

VELVEX Grease MP3

IS - 12203-1999 (RA 2004)



VELVEX MP3 GREASE are premium quality lithium based multipurpose automotive greases manufactured from superior quality base stocks with specially selected additives and are having high drop points, good thermal stability, resistance to oxidation and structural stability. These greases provide protection against rust, corrosion and water wash out. Suitable for all types of automotive applications.

Available in: 180 Kg, 18 Kg, 5 Kg, 3 Kg, 2 Kg, 1 Kg, 500g & 200g

VELVEX Licom Blue 3

IS 14847 : 2000



VELVEX LICOM BLUE 3 grease is an enhanced version of regular lithium soap based grease, manufactured from specially selected base oils with good quality raw materials and additives for excellent shear stability to enhance the re-lubrication interval of bearings above 75,000 kms under ideal road conditions. The grease has strong resistance against water wash out, wearing under extreme stress, strong surface adhesive quality, protection against rust and corrosion with wide temperature range of operations.

Suitable for all types of automotive applications as excellent multipurpose greases, like plain and anti-friction bearings of passenger cars, trucks, tractors, earth moving equipment etc.

Available in: 180 Kg, 18 Kg, 7 Kg, 5 Kg, 3 Kg, 1 Kg, & 500g

VELVEX Chassis Grease



VELVEX CHASSIS GREASE is premium quality calcium based automotive grease manufactured from superior quality base stocks and the specially selected additives. This GREASE is having moderately high drop points, resistance to oxidation, good thermal and structural stability. VELVEX CHASSIS GREASE also provides excellent protection against rust and corrosion.

Suitable for the lubrication of chassis of all types of automotive vehicles, passenger and commercial vehicles, tractors and other heavy duty earth moving equipment.

Available in: 180 Kg, 20 Kg

VELVEX EP2 Grease

IS 7623:1993(RA 2001) EP TYPE



VELVEX EP 2 GREASE is lithium based multipurpose extreme pressure grease manufactured from superior quality base stocks and the specially selected extreme pressure additives for high load carrying ability. They have outstanding structural stability, excellent water resistance property, higher dropping point, and outstanding rust and corrosion preventive abilities with very good oxidation stability. These greases resist oil separation to reduce the grease consumption.

Recommended for applications to all types of plain, roller and antifriction bearings in wide variety equipment, operating under severe shock loading conditions, such as earth moving equipment, gear couplings, electric motors, mining equipment, etc. at a temperature up to 130°C.

Available in: 180 Kg, 18 Kg

VELVEX RED GEL GREASE



Velvex Red Gel Grease specially developed for the automotive segment to meet the requirements of a long life gel grease. It is formulated with synthetic base oils, specially thicker technology and high performance additives to fulfill the mechanical and thermal requirements of automotive wheel hubs and extreme performance conditions.

Available in: 10kg, 7 kg, 5 kg, 3 kg, 2 kg, 1kg, 0.5Kg

VELVEX AdBlue



- AdBlue® is a high specification solution and is manufactured to the ISO 22241 standards.
- AdBlue® is essential for the correct operation of SCR After treatment device used in Diesel Engines to meet Bharat Stage IV & VI emission norms.
- AdBlue® is a clear, non-toxic liquid that is safe to handle and does not damage the environment.
- AdBlue® is not a fuel or fuel additive. AdBlue is carried on the vehicle in an additional tank.



Available in 210 L, 20L, 10L, 5L

VELVEX CAR CARE ADDITIVES



Diesel Injection Cleaner

Cleaning agent for mechanical and electronic fuel injectors



Chain Spray Additive

Semi-synthetic EP-resistant long-life adhesive chain spray



Engine Cleaner

Designed for all benzine and diesel engines (with or without a catalytic converter)



Petrol Injection Cleaner

Fuel additive for cleaning petrol injection engines



Engine Oil Additive

Additive package for performance improvement of engine oils



Nandan Petrochem Limited

C-201, Lotus Corporate Park, Ram Mandir Lane, Jay Coach Junction, Western Express Highway, Goregaon East, Mumbai - 4000639
Tel.: +91-22-42577200 (Board) • Email: info@nandangroup.com • www.nandangroup.com