



Material Safety Data Sheet

1. PRODUCT AND COMPANY IDENTIFICATION:

PRODUCT NAME	VELVEX ATF	
CHEMICAL NAME	Automatic Transmission Oil	
MANUFACTURER	Nandan Petrochem Limited,	
	C-201,Lotus Corporate Park, Ram Mandir Lane,Jai Coach Junction, Western	
	Express Highway, Goregaon East Mumbai-400063	
	Ph.No.022 32031075	
	Email:info@nandangroup.com	

2. Composition and Ingredients

Components	CAS No.	Range in %
Highly Refined Base Oils	Proprietary	100-88%
Additives which may include detergent –inhibitor, Pour point	Proprietary	0-12 %
depressants, Extreme pressure additive and/or antifoam agent:		
contains a maximum 10% (in the additive package)solvent dewaxed		
light paraffinic distillate base oil as a carrier fluid (CAS 64742-56-		
9)		

3. Hazards Identification

3. Hazards Identification			
Eyes	Expected to cause no more than minor eye irritation		
Oral	Ingestion of this product and subsequent vomiting can result in aspiration		
	into the lungs, causing chemical pneumonia and lung damage		
Inhalation	Breathing the vapour or mist at concentrations in air that exceed the ACGIH		
	TLV can cause respiratory irritation or discomfort		
Skin	Expected to cause no more than minor skin irritation. Prolonged or		
	frequently repeated contact may cause more severe irritation or may cause		
	the skin to become cracked or dry from the defatting action of this material		
Long Term Toxic	The base oil component(s) are not expected to be carcinogenic.		
Effects			

4. First Aid Measures

Eyes	Flush eyes immediately with fresh water for several minutes while holding the eyelids	
Lycs		
	open. If irritation persists, see a doctor	
Skin	Wash skin thoroughly with soap and water. If skin irritation persists or a rash develops	
	as a result of excessive contact, see a doctor. Launder contaminated clothing	
Ingestion	Do not induce vomiting. Aspiration of the material can cause serious lung injury such as	
	chemical pneumonia. Call a doctor immediately. If spontaneous vomiting occurs, keep	
	head below hips to prevent aspiration and monitor for breathing difficulty. Never give	
	anything by mouth to an unconscious person.	
Inhalation	If respiratory irritation or any signs or symptoms as described in this MSDS occur,	
	mover the person to fresh air. If any of these effects continue, see a doctor	
Advice to	This product may present an aspiration hazard. See related comments in this MSDS. If	
Doctor	spontaneous vomiting has occurred after ingestion, the patient should be monitored for	





difficult breathing, as adverse effects of aspiration into the lungs may be delayed up to 48 hours

5. Fire Fighting Measures

Ignition Temperature, °C	Not determined
Flammable Limits (% by Volume)	Not determined
Flash Point, °C	More than 170 (COC)
Fire Extinguishing Agents	According to the US National Fire Protection Association
	Guide, use water spray, dry chemical, foam or carbon dioxide.
	Water or foam may cause frothing. Use water to cool fire-
	exposed containers. If a leak or spill has not ignited, use water
	spray to disperse the vapours and to provide protection for
	personal attempting to stop the leak
Explosion Hazards	For fires involving this material, do not enter any enclosed or
	confined space without self-contained breathing apparatus to
	protect against the hazardous effects of combustion products or
	oxygen deficiency
6 And Antol Dologo Maggin	

6. Accider	6. Accidental Release Measures		
In case of Spill	Stop the source of the leak or release and contain spill if possible. Ventilate the		
	area. Use respirator and protective clothing as discussed in this MSDS. Cover spill		
	with a generous amount of inert absorbent. Use a stiff broom to mix thoroughly.		
	Sweep up and place in a disposable container. Scrub contaminated area with		
	detergent and water using a stiff broom. Pick up liquid with additional absorbent		
	and place in a disposable container. Prevent contamination of groundwater or		
	surface water		

7. Handling and Storage

Minimum feasible handling temperatures should be maintained. Periods of exposure to high temperatures should be minimized. Water contamination should be avoided. Misuse of empty containers can be hazardous. DO NOT cut, weld, heat or drill container. Residue may ignite with explosive violence if heated sufficiently. Do not pressurize or expose to open flame or heat. Keep container closed and drum bungs in place.

8. Exposure Control/Personal Protection

Eyes	No special eye protection is usually necessary. Safety glasses, chemical type goggles, or face shied appropriate where splashing or misting is expected during routine operations or spill clean-up.
Skin	Exposed employees should exercise reasonable personal cleanliness; this includes cleansing exposed skin several times daily with soap and water and laundering or dry cleaning soiled work clothing at least daily.
Inhalation	Respiratory protection is normally not required. However, if operating conditions create airborne concentrations which exceed the recommended





	exposure standard(s), the use of an approved respirator is recommended. Wear		
	approved respiratory protection such as toxic dust, mist and fume respirator		
Ventilation	Use adequate ventilation to keep the airborne concentrations of this material		
	below the ACGIH TLV for mineral oil mists. Local exhaust ventilation and/or		
	enclosure of the processes is preferred in these cases		
Exposure Limits	The ACGIH TLV for mineral oil mists is 5 mg/m ³ for a daily 8-hour exposure		

9. Physical and Chemical Properties

Note: The following data may represent a range of approximate or typical values for products in the same family. Precise technical information is provided in Product Bulletins and can be obtained from your Marketing Representative.

J			
Appearance and Odor			Bright and Clear liquid, mild odor
Boiling Point			Not determined
Vapor Pr (mm HG @ 25 °C)			Not determined
Density(k	kg/l at 15 °C)		0.85-0.90
Vapor De	ensity (Air=1)		Not determined
Undiluted	l product's pH		Not applicable
Solubility	in Water		Negligible
Percent V	olatile by Volume		Not determined
Evaporat	ion		Not determined
Viscosity	@100°C,cSt		6.00-8.00
Colour (A	ASTM D 1500),Typ	ical	Red
Pour Point ,°C,Max			(-)42
10.	10. Stability and Reactivity		
Hazardou	Hazardous Polymerizations DO NOT OCCUR		CUR
Products	of Combustion	Carbon mono	xide, carbon dioxide, and aldehydes and ketones,
		combustions p	products of nitrogen and sulfur
Conditions to Avoid Strong oxidize		Strong oxidized	ers as chlorates, nitrates, peroxides etc
11.	11. Toxicological Information		
General	Based on available toxicological information the oil produces no adverse effects on health		
	when properly handled and used. No special precautions are suggested beyond attention t		
	good personal hygiene including laundering any oil soaked clothing and washing contact		
	area with soap and water.		

Environmental
EffectsThis product is expected to have low aquatic toxicity and is not considered
to represent a long-term danger to the aquatic environment.
This material may present environmental risks common to oil spills13. Disposal ConsiderationsWaste DisposalPlace contamined materials are disposable containers and dispose off in a
manner consistent with applicable regulations. Contact local environmental
or health authorities for approved disposal of this materialRemarksThis material may present environmental risks common to oil spills.

12. Ecological Information





	Contact your local oil spill response group and applicable government		
	agencies if a spill occurs		
14. Transport Information			
Transportation of Dangerous		Not Applicable	
UN Number		Not Applicable	
Dangerous Goods Class		Not applicable	
Hazchem Code		Not applicable	
Additional Information		None Determined	

15. Regulatory Information

Symbol (s)	None			
R-Phrases (s)	R 52/53 Harmful to aquatic organisms ,may cause long term adverse effects in the			
	aquatic environment			
S Pharase (s)	S35: This material and its container must be disposed of in a safe way,			
	S56: Dispose of this material and its container to hazardous or Special waste			
	collection point			
	S59:Refer to manufacturer /Supplier for information on recovery /recycling			

16. Other Information — No specific notes on this product.

Note: The above data is based on the information presently available to us. The data provided is without any warranty, express or implied, regarding its reactions and accuracy. It is the user's responsibility to determine safe conditions for use of this product and to assure liability for loss, injury, damage or expense resulting from improper use of this product.